

### CFS-F SOL; CP 620

Safety information for 2-Component-products

Issue date: 13/01/2021

Revision date: 13/01/2021

Supersedes: 19/12/2017

Version: 8.0

#### **SECTION 1: Kit identification**

#### **1.1 Product identifier**

Trade name



Product code

**BU Fire Protection** 

#### 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti (Hong Kong) Ltd. 701-704, 7/F, Tower A, Manulife Financial Centre 223 Wai Yip Street, Kwun Tong Kowloon - Hong Kong T +852 27734 700 hksales@hilti.com

#### **SECTION 2: General information**

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

#### **SECTION 3:**

#### **Classification of the Product**

Classification according to the l	Jnited Nations GHS (Rev. 4, 2011)
Agute Tax 4 (Inhelation)	L1000

Acute Lox. 4 (Inhalation)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 2	H351
Repr. 2	H361
STOT SE 3	H335
STOT RE 2	H373
Aquatic Chronic 3	H412

#### Label elements

#### Labelling according to the United Nations GHS (Rev. 4, 2011)

Hazard pictograms (GHS UN)

Signal word (GHS UN)

Hazardous ingredients

Hazard statements (GHS UN)



#### Danger

4,4'-diphenylmethanediisocyanate, isomeres and homologues; zinc borate

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.



### CFS-F SOL; CP 620

Safety information for 2-Component-products

- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements (GHS UN)

- P260 Do not breathe vapours.
- P280 Wear eye protection, protective clothing, protective gloves.
- P284 Wear respiratory protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P342+P311 If experiencing respiratory symptoms: Call a doctor, a POISON CENTER.

#### **Additional information**

	A
	В
T	Α

Name	General description	Quantity	Unit	Classification according to the United Nations GHS
CFS-F SOL / CP 620, B		1	pcs	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
CFS-F SOL / CP 620, A (RoW)		1	pcs	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 2, H361 Aquatic Chronic 3, H412

#### **SECTION 4: General advice**

OFOTION F. Cofe handling addition

General advice

For professional users only

Avoid release to the environment
Store in a well-ventilated place. Keep cool.
Do not handle until all safety precautions have been read and understood. Wear personal protective equipment Do not breathe vapours. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes In case of inadequate ventilation wear respiratory protection.
Take up liquid spill into absorbent material Notify authorities if product enters sewers or public waters
Sources of ignition Direct sunlight
Strong bases Strong acids

#### SECTION 6: First aid measures

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.



### CFS-F SOL; CP 620

Safety information for 2-Component-products

First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell
First-aid measures after skin contact	Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing.
First-aid measures general	If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	Eye irritation
Symptoms/effects after inhalation	May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	Irritation May cause an allergic skin reaction.
Other medical advice or treatment	Treat symptomatically

#### **SECTION 7: Fire fighting measures**

Firefighting instructionsUse water spray or fog for cooling exposed containers<br/>Exercise caution when fighting any chemical fire<br/>Prevent fire fighting water from entering the environmentProtection during firefightingSelf-contained breathing apparatus<br/>Complete protective clothingHazardous decomposition products in case of<br/>fireToxic fumes may be released<br/>Carbon dioxide<br/>Carbon monoxide

#### **SECTION 8: Other information**

No data available



### CFS-F SOL / CP 620, A Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011) Issue date: 08/02/2021 Revision date: 08/02/2021

Supersedes: 19/12/2017

Version: 7.2

#### **SECTION 1: Identification GHS Product identifier** 1.1. Product form Mixture CFS-F SOL / CP 620, A Trade name Product code **BU Fire Protection** 1.2. Other means of identification No additional information available 1.3. Recommended use of the chemical and restrictions on use No additional information available 1.4. Supplier's details Supplier Department issuing data specification sheet Hilti (Hong Kong) Ltd. Hilti AG 701-704, 7/F, Tower A, Manulife Financial Centre Feldkircherstraße 100 223 Wai Yip Street, Kwun Tong 9494 Schaan - Liechtenstein Kowloon - Hong Kong T +423 234 2111 T +852 27734 700 chemicals.hse@hilti.com hksales@hilti.com 1.5. **Emergency phone number** Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +852 27734 700

#### **SECTION 2: Hazard identification**

### 2.1. Classification of the substance or mixture

Classification according to the United Nations GH	Ď	
Skin corrosion/irritation, Category 2	H315	Calculation method
Serious eye damage/eye irritation, Category 2A	H319	Calculation method
Reproductive toxicity, Category 2	H361	Calculation method
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412	Calculation method
Full text of H statements : see section 16		

Adverse physicochemical, human health and

Suspected of damaging fertility or the unborn child, Causes skin irritation, Causes serious eye irritation, Harmful to aquatic life with long lasting effects.

#### 2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)

environmental effects

Signal word (GHS UN) Hazardous ingredients GHS07 GHS08

Warning hexaboron dizinc undecaoxide



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Hazard statements (GHS UN)	H315 - Causes skin irritation H319 - Causes serious eye irritation H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS UN)	P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Ethylenediamine, propoxylated	(CAS-No.) 25214-63-5	25 – 40	Serious eye damage/eye irritation, Category 2A, H319
hexaboron dizinc undecaoxide	(CAS-No.) 12767-90-7	2.5 – 5	Reproductive toxicity, Category 2, H361 Hazardous to the aquatic environment — Chronic Hazard, Category 2, H411

Full text of H-statements: see section 16

#### SECTION 4: First-aid measures

4.1. Description of necessary first-	aid measures
First-aid measures general	IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms/effe	cts, acute and delayed
Symptoms/effects after skin contact	Irritation.
Symptoms/effects after eye contact	Eye irritation.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTI	ON 5: Fire-fighting measures	
5.1.	Suitable extinguishing media	
Suitable e	extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Specific hazards arising from the che	mical
Hazardou	s decomposition products in case of	Toxic fumes may be released.

fire



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

5.3.	Special protective actions for fir	e-fighters
Protect	on during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECT	TON 6: Accidental release m	leasures
6.1.	Personal precautions, protective	e equipment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerge	ency procedures	Ventilate spillage area. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protect	ve equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid r	elease to the environment.	
6.3.	Methods and materials for conta	inment and cleaning up
Method	s for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other in	formation	Dispose of materials or solid residues at an authorized site.
SECT	ION 7: Handling and storage	e
7.1.	Precautions for safe handling	
Precau	ions for safe handling	Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygien	e measures	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

7.2. Condition	s for safe storage, including any incompatibilities
Storage conditions	Store locked up. Store in a well-ventilated place. Keep cool.

product. Always wash hands after handling the product.

Storage temperature

5 – 25 °C

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station. Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	Protective gloves				
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)			EN ISO 374
<b>F</b> <i>i i</i>					

Туре	Use	Characteristics	Standard
Safety glasses	Droplet		EN 166, EN 170



### CFS-F SOL / CP 620, A Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

#### Skin and body protection

Respiratory protection

Personal protective equipment symbol(s)



Wear suitable protective clothing [In case of inadequate ventilation] wear respiratory protection.

#### 8.4. Exposure limit values for the other components

No additional information available

#### **SECTION 9: Physical and chemical properties**

<table-row><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-row><table-row><table-row></table-row><table-row><table-row><table-container></table-container></table-row><table-row><table-row></table-row></table-row><table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row><table-row></table-row></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-row>	9.1. Basic physical and chemical properties																																																	
OdurNotavilableOdur thresholdNotavilableMelting pointNotavilableBoiling pointNotavilableBoiling pointNotavilableBoiling pointNotavilableElamability (solid, gas)NotavilableLower explosive limit (LEL)NotavilableLower explosive limit (LEL)NotavilableBoiling pointNotavilableLower explosive limit (LEL)NotavilableBoiling pointNotavilableLower explosive limit (LEL)NotavilableBoiling pointNotavilableBoiling pointNotavilablePointo coefficient noctanol/water (Log Kow)NotavilableVapour pressure at 50 °CNotavilableVapour pressure at 50 °CNotavilablePointo coefficient noctanol/water (Log Kow)NotavilableRelative vapour density at 20 °CNotavilableSolubilityNotavilablePointoi size distributionNotavilablePointoi size distributionNotavilablePointoi size distributionNotavilablePointoi size distributionNotavilablePointoi size distributionNotavilablePointoi size distribution <td>Physical state</td> <td>Liquid</td>	Physical state	Liquid																																																
Odur thresholdNot availableMelting pointNot availableFreezing pointNot availableBoiling pointNot availableFlammability (solid, gas)Not availableLower explosive limit (LEL)Not availableUpper explosive limit (UEL)Not availablePlanton peratureNot availablePlanton temperatureNot availablePocomposition temperatureNot availablePlanton temperatureNot availablePlanton temperatureNot availablePlanton temperatureNot availablePlanton temperatureNot availablePlanton temperatureNot availablePlanton temperatureNot availablePlantion celficient n-octanol/water (Log Koom)Not availableVapour pressure at 50 °CNot availableVapour pressure at 50 °CNot availablePlatition celficient n-octanol/water (Log Koom)Not availableVapour pressure at 50 °CNot availableVapour pressure at 50 °CNot availableParticle sizeNot availableSolubilityNot availablePlanticle sizeNot availableSolubilityNot availableParticle sizeNot availableParticle sizeNot availableParticle sizeNot availableParticle sizeNot availableParticle size distributionNot availableParticle size distributionNot availableParticle size distributionNot applicableParticle size distributionN	Colour	red.																																																
Melinip pointNot applicableFreezing pointNot availableBoiling pointNot availableFlammability (solid, gas)Not availableExplosive limitsNot availableLower explosive limit (LEL)Not availableUpper explosive limit (UEL)Not availableAto-ligntion temperatureNot availablePdecomposition temperatureNot availablePdecomposition temperatureNot availablePdecomposition temperatureNot availableViscosity, kinematic (calculated value) (40° C)Not availableVapour pressureNot availableVapour pressureNot availableVapour pressure at 50°CNot availablePdetive densityNot availableRelative apopur density at 20°CNot availableSolubilityNot availableSolubilityNot availablePartice relative street st	Odour	Not available																																																
Freezing pointNot availableBoiling pointNot availableFlammability (solid, gas)Not availableExplosive limitsNot availableLower explosive limit (LEL)Not availableUpper explosive limit (UEL)Not availableFlash pointNot availableFlash pointNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot availablePHNot availableViscosity, kinematic (calculated value) (40 °C)Not availableViscosity, kinematic (calculated value) (40 °C)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availablePatition coefficient n-octanol/water (Log Kow)Not availableVapour pressure at 50 °CNot availableRelative density at 20 °CNot availableSolubilityNot availablePatricle sizeNot availablePatricle size distributionNot applicablePatricle size distributionNot applicable </td <td>Odour threshold</td> <td>Not available</td>	Odour threshold	Not available																																																
Boiling pointNot availableFlammability (solid, gas)Not applicableExplosive limitsNot availableLower explosive limit (LEL)Not availableUpper explosive limit (UEL)Not availableFlash pointNot availableFlash pointNot availableDecomposition temperatureNot availableDecomposition temperatureNot availablePHNot availableViscosity, kinematic (calculated value) (40 °C)Not availableViscosity, kinematic (calculated value) (40 °C)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableVapour pressure at 50 °CNot availableRelative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle size distributionNot applicableParticle size distributionNot applicableParticle size distributionNot applicableParticle size distributionNot applicable	Melting point	Not applicable																																																
Flam andility (solid, gas)Not applicableExplosive limitsNot availableLower explosive limit (LEL)Not availableUpper explosive limit (UEL)Not availableFlash pointNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot availablepHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availablePensityNot availableRelative densityNot availableRelative densityNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot availableParticle size distributionN	Freezing point	Not available																																																
Explosive limitsNot availableLower explosive limit (LEL)Not availableUpper explosive limit (UEL)Not availableFlash pointNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot availablepHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availableVapour pressureNot availableVapour pressureNot availableVapour pressureNot availablePensity*1.17 g/cm³Relative densityNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot availableParticle size distributionNot availableParticle saper tratioNot availableP	Boiling point	Not available																																																
Lower explosive limit (LEL)Not availableUpper explosive limit (UEL)Not availableFlash pointNot applicable.Auto-ignition temperatureNot availableDecomposition temperatureNot availablepHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availableVapour pressureNot availableVapour pressureNot availableVapour pressure at 50 °CNot availablePelatition coefficient n-octanol/water (Log Kow)Not availableVapour pressure at 50 °CNot availablePelatitive densityNot availableRelative densityNot availableSolubilityNot availableParticle sizeNot availableParticle sizeNot availableParticle size distributionNot availableParticle size distributionNot availableParticle size distributionNot availableParticle size distributionNot applicableParticle size distributionNot applicableP	Flammability (solid, gas)	Not applicable																																																
Upper explosive limit (UEL)Not availableFlash pointNot available.Auto-ignition temperatureNot availableDecomposition temperatureNot availablepHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availablePelative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot availableParticle size distributionNot availableParticle size fistributionNot av	Explosive limits	Not available																																																
Flash pointNot applicable.Auto-ignition temperatureNot availableDecomposition temperatureNot availablepHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availablePansity≈ 1.17 g/cm³Relative densityNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle size fistributionNot availableParticle size fistributionNot availableParticle size fistributionNot applicableParticle size fistributionNot applicable </td <td>Lower explosive limit (LEL)</td> <td>Not available</td>	Lower explosive limit (LEL)	Not available																																																
Auto-ignition temperatureNot availableDecomposition temperatureNot availablepHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availableParition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure 350 °CNot availableDensity~ 1.17 g/cm³Relative densityNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot availableParticle sapect ratioNot availableParticle sapect ratioNot available	Upper explosive limit (UEL)	Not available																																																
Decorposition temperatureNot availablepHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity~1.17 g/cm³Relative densityNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot availableParticle shapeNot applicableParticle aspect ratioNot applicable	Flash point	Not applicable.																																																
pHNot determinedpH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot availableParticle shapeNot applicableParticle appert ratioNot applicableParticle sizeNot applicableParticle size for the total stributionNot applicableParticle shapeNot applicableParticle appert ratioNot applicableParticle sizeNot applicable <tr <td="">Particle size<t< td=""><td>Auto-ignition temperature</td><td>Not available</td></t<></tr> <tr><td>pH solutionNot availablepH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle size fistributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Decomposition temperature</td><td>Not available</td></tr> <tr><td>Viscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle sapect ratioNot applicable</td><td>рН</td><td>Not determined</td></tr> <tr><td>Partition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>pH solution</td><td>Not available</td></tr> <tr><td>Vapour pressureNot availableVapour pressure at 50 °CNot availableDensity~ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Viscosity, kinematic (calculated value) (40 °C)</td><td>Not available</td></tr> <tr><td>Vapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Partition coefficient n-octanol/water (Log Kow)</td><td>Not available</td></tr> <tr><td>Density≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Vapour pressure</td><td>Not available</td></tr> <tr><td>Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Vapour pressure at 50 °C</td><td>Not available</td></tr> <tr><td>Relative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Density</td><td>≈ 1.17 g/cm³</td></tr> <tr><td>SolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Relative density</td><td>Not available</td></tr> <tr><td>Particle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Relative vapour density at 20 °C</td><td>Not available</td></tr> <tr><td>Particle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable</td><td>Solubility</td><td>Not available</td></tr> <tr><td>Particle shape     Not applicable       Particle aspect ratio     Not applicable</td><td>Particle size</td><td>Not applicable</td></tr> <tr><td>Particle aspect ratio Not applicable</td><td>Particle size distribution</td><td>Not applicable</td></tr> <tr><td></td><td>Particle shape</td><td>Not applicable</td></tr> <tr><td>Particle specific surface area Not applicable</td><td>Particle aspect ratio</td><td>Not applicable</td></tr> <tr><td></td><td>Particle specific surface area</td><td>Not applicable</td></tr>	Auto-ignition temperature	Not available	pH solutionNot availablepH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle size fistributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Decomposition temperature	Not available	Viscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle sapect ratioNot applicable	рН	Not determined	Partition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	pH solution	Not available	Vapour pressureNot availableVapour pressure at 50 °CNot availableDensity~ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Viscosity, kinematic (calculated value) (40 °C)	Not available	Vapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Partition coefficient n-octanol/water (Log Kow)	Not available	Density≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Vapour pressure	Not available	Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Vapour pressure at 50 °C	Not available	Relative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Density	≈ 1.17 g/cm³	SolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Relative density	Not available	Particle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Relative vapour density at 20 °C	Not available	Particle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Solubility	Not available	Particle shape     Not applicable       Particle aspect ratio     Not applicable	Particle size	Not applicable	Particle aspect ratio Not applicable	Particle size distribution	Not applicable		Particle shape	Not applicable	Particle specific surface area Not applicable	Particle aspect ratio	Not applicable		Particle specific surface area	Not applicable
Auto-ignition temperature	Not available																																																	
pH solutionNot availablepH solutionNot availableViscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle size fistributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Decomposition temperature	Not available																																																
Viscosity, kinematic (calculated value) (40 °C)Not availablePartition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle sapect ratioNot applicable	рН	Not determined																																																
Partition coefficient n-octanol/water (Log Kow)Not availableVapour pressureNot availableVapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	pH solution	Not available																																																
Vapour pressureNot availableVapour pressure at 50 °CNot availableDensity~ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Viscosity, kinematic (calculated value) (40 °C)	Not available																																																
Vapour pressure at 50 °CNot availableDensity≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot availableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Partition coefficient n-octanol/water (Log Kow)	Not available																																																
Density≈ 1.17 g/cm³Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Vapour pressure	Not available																																																
Relative densityNot availableRelative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Vapour pressure at 50 °C	Not available																																																
Relative vapour density at 20 °CNot availableSolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Density	≈ 1.17 g/cm³																																																
SolubilityNot availableParticle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Relative density	Not available																																																
Particle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Relative vapour density at 20 °C	Not available																																																
Particle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicable	Solubility	Not available																																																
Particle shape     Not applicable       Particle aspect ratio     Not applicable	Particle size	Not applicable																																																
Particle aspect ratio Not applicable	Particle size distribution	Not applicable																																																
	Particle shape	Not applicable																																																
Particle specific surface area Not applicable	Particle aspect ratio	Not applicable																																																
	Particle specific surface area	Not applicable																																																

#### 9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content

15 mg/l EPA method 24 (CP 620, Comp. A + B)



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

hexaboron dizinc undecaoxide (12767-90-7)	
LD50 oral rat	> 5000 mg/kg bodyweight (FIFRA (40 CFR), Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Skin, 14 day(s))
LC50 Inhalation - Rat	> 4.95 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value of similar product, Inhalation (dust), 14 day(s))
Skin corrosion/irritation	Causes skin irritation.
	pH: Not determined
Serious eye damage/irritation	Causes serious eye irritation.
	pH: Not determined
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

#### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, shortterm (acute) Harmful to aquatic life with long lasting effects. Not classified



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Hazardous to the aquatic environment, long-term (chronic)	Harmful to aquatic life with long lasting effects.
Classification procedure (Hazardous to the aquatic environment, long-term (chronic))	Calculation method

#### 12.2. Persistence and degradability

CFS-F SOL / CP 620, A			
Persistence and degradability	No additional information available		
hexaboron dizinc undecaoxide (12767-90-7)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
12.3. Bioaccumulative potential			

# CFS-F SOL / CP 620, A Bioaccumulative potential No additional information available hexaboron dizinc undecaoxide (12767-90-7) Bioaccumulative potential No bioaccumulation data available.

#### 12.4. Mobility in soil

CFS-F SOL / CP 620, A	
Mobility in soil	No additional information available
hexaboron dizinc undecaoxide (12767-90-7)	
hexaboron dizinc undecaoxide (12767-90-7) Ecology - soil	Adsorbs into the soil.
	Adsorbs into the soil.

#### Ozone

Other adverse effects

Not classified No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods Product/Packaging disposal recommendations Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information						
In accordance with ADR / RID / IMDG	In accordance with ADR / RID / IMDG / IATA / ADN					
ADR IMDG IATA RID						
14.1. UN number						
Not applicable	Not applicable	Not applicable	Not applicable			



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

14.2. UN proper shipping name						
Not applicable	Not applicable	Not applicable	Not applicable			
14.3. Transport hazard class(e	14.3. Transport hazard class(es)					
Not applicable	Not applicable         Not applicable         Not applicable         Not applicable					
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards						
Not applicable         Not applicable         Not applicable         Not applicable						
No supplementary information available						

#### 14.6. Special precautions for user

**Overland transport** 

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other infor	mation	
SDS Major/Minor	None	
Issue date	08/02/2021	
Revision date	08/02/2021	
Supersedes	19/12/2017	

Section	Changed item	Change	Comments
2.2	Precautionary statements (GHS UN)	Modified	

Full text of H-statements:	
H315	Causes skin irritation
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects



### CFS-F SOL / CP 620, A Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SDS\_UN\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011) Issue date: 08/02/2021 Revision date: 08/02/2021

Supersedes: 19/12/2017

Version: 7.3

#### **SECTION 1: Identification GHS Product identifier** 1.1. Product form Mixture CFS-F SOL / CP 620, B Trade name Product code **BU Fire Protection** 1.2. Other means of identification No additional information available 1.3. Recommended use of the chemical and restrictions on use No additional information available 1.4. Supplier's details Department issuing data specification sheet Supplier Hilti (Hong Kong) Ltd. Hilti AG 701-704, 7/F, Tower A, Manulife Financial Centre Feldkircherstraße 100 223 Wai Yip Street, Kwun Tong 9494 Schaan - Liechtenstein Kowloon - Hong Kong T +423 234 2111 T +852 27734 700 chemicals.hse@hilti.com hksales@hilti.com 1.5. **Emergency phone number**

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +852 27734 700

#### **SECTION 2: Hazard identification**

2.1. Classification of the substance or m	ixture	
Classification according to the United Nations GH	s	
Acute toxicity (inhal.), Category 4	H332	Expert judgment
Acute toxicity (inhalation:dust,mist) Category 4	H332	Calculation method
Skin corrosion/irritation, Category 2	H315	Calculation method
Serious eye damage/eye irritation, Category 2A	H319	Calculation method
Respiratory sensitisation, Category 1	H334	Calculation method
Skin sensitisation, Category 1	H317	Calculation method
Carcinogenicity, Category 2	H351	Calculation method
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	Calculation method
Specific target organ toxicity — Repeated exposure, Category 2	H373	Calculation method
Full text of H statements : see section 16		

Adverse physicochemical, human health and Suspec environmental effects exosu

Suspected of causing cancer,May cause damage to organs through prolonged or repeated exposure,Harmful if inhaled,May cause respiratory irritation,Causes skin irritation,May cause an allergic skin reaction,Causes serious eye irritation,May cause allergy or asthma symptoms or breathing difficulties if inhaled.



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

2.2. GHS Label elements, including pred	cautionary statements
Labelling according to the United Nations GHS	
Hazard pictograms (GHS UN)	
	GHS07 GHS08
Signal word (GHS UN)	Danger
Hazardous ingredients	4,4'-diphenylmethanediisocyanate, isomeres and homologues; 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate
Hazard statements (GHS UN)	<ul> <li>H315 - Causes skin irritation</li> <li>H317 - May cause an allergic skin reaction</li> <li>H319 - Causes serious eye irritation</li> <li>H332 - Harmful if inhaled</li> <li>H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled</li> <li>H335 - May cause respiratory irritation</li> <li>H351 - Suspected of causing cancer</li> <li>H373 - May cause damage to organs through prolonged or repeated exposure</li> </ul>
Precautionary statements (GHS UN)	<ul> <li>P260 - Do not breathe vapours.</li> <li>P280 - Wear eye protection, protective clothing, protective gloves.</li> <li>P284 - Wear respiratory protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P342+P311 - If experiencing respiratory symptoms: Call a doctor, a POISON CENTER.</li> </ul>

#### 2.3. Other hazards which do not result in classification

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
4,4'-diphenylmethanediisocyanate, isomeres and homologues	(CAS-No.) 9016-87-9	54 – 90	Flammable liquids Not classified Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhal.), Category 4, H332 Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 2A, H319 Respiratory sensitisation, Category 1, H334 Skin sensitisation, Category 1, H317 Carcinogenicity, Category 2, H351 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation, H335 Specific target organ toxicity — Repeated exposure, Category 2, H373
4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'- diisocyanate	(CAS-No.) 101-68-8	27 – 54	Acute toxicity (inhal.), Category 4, H332 Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 2A, H319 Respiratory sensitisation, Category 1, H334



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

			Skin sensitisation, Category 1, H317 Carcinogenicity, Category 2, H351 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation, H335 Specific target organ toxicity — Repeated exposure, Category 2, H373
tris(2-chloro-1-methylethyl) phosphate	(CAS-No.) 13674-84-5	5 – 10	Flammable liquids Not classified Acute toxicity (oral), Category 4, H302 Hazardous to the aquatic environment — Acute Hazard, Category 3, H402

Full text of H-statements: see section 16

SECTION 4: First-aid measures	
4.1. Description of necessary first-aid m	easures
First-aid measures general	IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms/effects, a	icute and delayed
Symptoms/effects after inhalation	May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	Eye irritation.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SEC	TION 5: Fire-fighting measures	5
5.1.	Suitable extinguishing media	
Suitabl	e extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	2. Specific hazards arising from the chemical	
Hazard fire	lous decomposition products in case of	Toxic fumes may be released.
5.3.	. Special protective actions for fire-fighters	
Protect	ion during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures

Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

6.1.2.	For emergency responders		
Protec	ive equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2.	Environmental precautions		
Avoid I	elease to the environment.		
6.3.	Methods and materials for contai	nment and cleaning up	
Metho	ds for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information		Dispose of materials or solid residues at an authorized site.	
SEC	TION 7: Handling and storage		
7.1.	Precautions for safe handling		
Precau	tions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid	

Hygiene measures

measures	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Conditions for safe storage, including	ng any incompatibilities

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Storage conditions

7.2.

Storage temperature

5 – 25 °C

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls
Environmental exposure controls

Ensure good ventilation of the work station. Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)			EN ISO 374
Eve protection	·				

Туре	Use	Characteristics	Standard
Safety glasses	Droplet		EN 166, EN 170
Skin and body protection Wear suitable protective clothing		·	

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection.

Device	Filter type	Condition	Standard
	Type A - High-boiling (>65 °C) organic compounds		

Personal protective equipment symbol(s)



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)



#### 8.4. Exposure limit values for the other components

No additional information available

#### **SECTION 9: Physical and chemical properties**

9.1.	Basic physical and chemical p	roperties
Physica	l state	Liquid
Colour		amber.
Odour		Not available
Odour th	hreshold	Not available
Melting	point	Not applicable
Freezing	g point	Not available
Boiling p	point	Not available
Flamma	bility (solid, gas)	Not applicable
Explosiv	ve limits	Not available
Lower e	xplosive limit (LEL)	Not available
Upper e	xplosive limit (UEL)	Not available
Flash po	pint	Not available
Auto-igr	nition temperature	Not available
Decomp	position temperature	Not available
pН		Not available
pH solut	tion	Not available
Viscosit	y, kinematic (calculated value) (40 °C)	Not available
Partition	a coefficient n-octanol/water (Log Kow)	Not available
Vapour	pressure	Not available
Vapour	pressure at 50 °C	Not available
Density		≈ g/cm³
Relative	density	Not available
Relative	e vapour density at 20 °C	Not available
Solubilit	у	Not available
Particle	size	Not applicable
Particle	size distribution	Not applicable
Particle	shape	Not applicable
Particle	aspect ratio	Not applicable
Particle	specific surface area	Not applicable

#### 9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content

15 g/l EPA method 24 (CP 620, Comp. A + B)



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Harmful if inhaled. Harmful if inhaled.
ATE UN (gases)	4500 ppmv/4h
ATE UN (vapours)	11 mg/l/4h
ATE UN (dust,mist)	1.5 mg/l/4h

4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)			
LD50 oral rat	> 10000 mg/kg (Rat, Literature study, Oral)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)		
4,4'-methylenediphenyl diisocyanate; diphen	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)		
LD50 oral rat	> 2000 mg/kg		
LD50 dermal rabbit	> 9400 mg/kg		
LC50 Inhalation - Rat	> 0.354 g/m <sup>3</sup>		
tris(2-chloro-1-methylethyl) phosphate (1367-			
LD50 oral rat	1101 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)		
LD50 oral	1150 – 1750		
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))		
LC50 Inhalation - Rat	> 5 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.		
Germ cell mutagenicity	Not classified		
Carcinogenicity	Suspected of causing cancer.		
Reproductive toxicity	Not classified		
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Not classified		



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short- term (acute)	Not classified	
Hazardous to the aquatic environment, long-term (chronic)	Not classified	

4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
LC50 other aquatic organisms 1	> 1000 mg/l (96 h, Literature study)	
tris(2-chloro-1-methylethyl) phosphate (13674-84-5)		
LC50 fish 1	51 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Static system,	
	Fresh water, Experimental value, Lethal)	
EC50 Daphnia 1	131 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static	
	system, Fresh water, Experimental value, Locomotor effect)	
ErC50 (algae)	82 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static	
	system, Fresh water, Experimental value, Nominal concentration)	

#### 12.2. Persistence and degradability

CFS-F SOL / CP 620, B		
Persistence and degradability	No additional information available	
4,4'-diphenylmethanediisocyanate, isomeres a	and homologues (9016-87-9)	
Not rapidly degradable		
Persistence and degradability	Not readily biodegradable in water.	
tris(2-chloro-1-methylethyl) phosphate (13674-84-5)		
Persistence and degradability	Not readily biodegradable in water.	

#### 12.3. Bioaccumulative potential

CFS-F SOL / CP 620, B		
Bioaccumulative potential	No additional information available	
4,4'-diphenylmethanediisocyanate, isomeres and	1 homologues (9016-87-9)	
BCF fish 1	1 (Pisces, Literature study)	
Partition coefficient n-octanol/water (Log Kow)	10.46 (Calculated, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
tris(2-chloro-1-methylethyl) phosphate (13674-84-5)		
BCF fish 1	0.8 – 2.8 (OECD 305: Bioconcentration: Flow-Through Fish Test, 6 week(s), Pisces, Flow- through system, Experimental value)	
Partition coefficient n-octanol/water (Log Kow)	2.68 (Experimental value, Equivalent or similar to OECD 117)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

#### 12.4. Mobility in soil

CFS-F SOL / CP 620, B		
Mobility in soil	No additional information available	
4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
Partition coefficient n-octanol/water (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	



#### Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

tris(2-chloro-1-methylethyl) phosphate (13674-84-5)		
Surface tension	No data available in the literature	
Partition coefficient n-octanol/water (Log Koc)	2.24 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Read- across)	
Ecology - soil	Low potential for adsorption in soil.	
12.5. Other adverse effects		
Ozone	Not classified	
Other adverse effects	No additional information available	

#### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods Product/Packaging disposal recommendations Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations.

#### SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	RID	
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards	•	•	•	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information availa	able		•	

#### 14.6. Special precautions for user

**Overland transport** 

No data available

Transport by sea

No data available

Air transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information		
SDS Major/Minor	None	
Issue date	08/02/2021	
Revision date	08/02/2021	
Supersedes	19/12/2017	

Full text of H-statements:	
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H402	Harmful to aquatic life

SDS\_UN\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.