

Safety Data Sheet acc. to ISO 11014

Version number 3

Page 1/7

Reviewed on 04/13/2015

1 Identification

- · Product identifier
- · Trade name: DX Cartridge Clean-Tec
- \cdot Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Cartridges for technical purpose
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Hilti, Inc.
 5400 South 122nd East Ave.
 US-Tulsa, OK 74146
 Phone: (800) 879-8000

Fax: (800) 879-7000 Español: (800) 879-5000

• Information department: df-hse@hilti.com see section 16

• Emergency telephone number: Chem-Trec Tel • 1 800 424 9300 (USA) PR V

Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada) Tel.: 703 527 3887 (Other countries)

2 Hazard(s) identification

· Classification of the substance or mixture

The dismantling of the article is prohibited.

This article contains hazardous substances or preparations not intended to be released under normal or reasonably foreseeable conditions of use.

Expl. 1.4 H204 Fire or projection hazard.

· Additional information:

Category of the pyrotechnic article: other pyrotechnic articles Cat. P1

(BAM EC-Type-Examination Certificate No. 0589.PYR.3802/12 or 0589.PYR.3798/12 respectively)

· Label elements

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms**



- · Signal word Warning
- · Hazard statements
- H204 Fire or projection hazard.
- · Precautionary statements
- P210 Keep away from heat. No smoking. P250 Do not subject to grinding/shock/friction.
- P280 Wear eve protection / face protection.
- · Classification system
- NFPA ratings (scale 0-4)



 $\begin{aligned} \text{Health} &= 0\\ \text{Fire} &= 2\\ \text{Reactivity} &= 0 \end{aligned}$

- · Other hazards
- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)

US EN



Reviewed on 04/13/2015

Trade name: DX Cartridge Clean-Tec

(Contd. of page 1)

Page 2/7

Chemical characterization: Mixtures Description:	
Mixture of the substances listed below with nonhazardous additions. max. net explosives weight each cartridge in mg: Caliber 6.8/11 (cal .27 short) white: 130; brown: 140; green: 160; yellow: 180; red: 230; black: 24 Caliber 6.8/18 (cal .27 long) green: 190; yellow: 220; blue: 300; red: 330; black: 410	60
Dangerous components: Within the cartridges the explosive ingredients (gun powder and priming composition) are hermetical environment. They will be only opened with effort and under destruction of the article. Propellant powder: Single base powder, containing glyceroltrinittate Mass per cartridge: essentially dependent on the required power (100-400 mg) Priming composition: SINTOX (initiating explosive) Mass per cartridge: 20,9 mg in the mean.	ally separated from th
55-63-0 glycerol trinitrate	3-<109
122-39-4 diphenylamine	0-1%
Additional information Exposed propellant powder outside a cartridge is harmful if swallowed and highly flammable; with explosion risk. Packed safety cartridges don't represent a significant risk. In case of reaction no dangerous fragments or projectiles will be formed.	out tamping no
Mechanical or thermal attempts to expose the primer composition lead to an immediate reaction of t ingredients.	he dangerous
For the wording of the listed risk phrases refer to section 16.	

· Description of first aid measures

- · General information First aid measures only required by release of ingredients or generation of decomposition products.
- After inhalation Take affected persons into fresh air and keep quiet.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

- Do not induce vomiting; immediately call for medical help.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- Monitor circulation, possible shock treatment.
- If necessary oxygen respiration treatment
- If blue colouring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible.

In cases of irritation to the lungs, initial treatment with Dexamethason metered aerosol.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents Not applicable
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

EN 12941 / EN 12942

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Keep away from ignition sources

Remove persons from danger area.

Ensure adequate ventilation



Safety Data Sheet acc. to ISO 11014

Version number 3

Reviewed on 04/13/2015

(Contd. of page 2)

Trade name: DX Cartridge Clean-Tec

· Environmental precautions: Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Pick up scattered propellant cartridges only by hand. Exposed ingredients must be swept up carefully and stabilised in a water container which has been labelled according the

regulations. Wipe down the contaminated area with water.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

- Precautions for safe handling
- No special precautions are necessary if used correctly. Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:
- Protect against electrostatic charges. Keep ignition sources away - Do not smoke. Prevent impact and friction.
- · Conditions for safe storage, including any incompatibilities Storage
- · Requirements to be met by storerooms and receptacles:
- Keep in a cool, dry and dark place; 41 °F / 5 °C to 77 °F / 25 °C. Information about storage in one common storage facility: Store away from flammable substances. Store away from foodstuffs.
- · Further information about storage conditions: Store under lock and key and with access restricted to technical experts or their assistants only. Protect from humidity and water.
- · Storage class 1
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace: 55-63-0 glycerol trinitrate PEL Short-term value: C 2 mg/m³, C 0.2 ppm Skin Short-term value: 0.1 mg/m3 REL Skin TLV Long-term value: 0.46 mg/m³, 0.05 ppm Skin 122-39-4 diphenylamine REL Long-term value: 10 mg/m³ TLV Long-term value: 10 mg/m³ CAS No. Designation of material Type Value Unit . % · Additional Occupational Exposure Limit Values for possible hazards during processing: 630-08-0 carbon monoxide

- PEL Long-term value: 55 mg/m³, 50 ppm
- REL Short-term value: C 229 mg/m³, C 200 ppm
- Long-term value: 40 mg/m3, 35 ppm
- TLV Long-term value: 29 mg/m³, 25 ppm BEI

124-38-9 carbon dioxide

PEL Long-term value: 9000 mg/m³, 5000 ppm

(Contd. on page 4)

⁻ US EN



Safety Data Sheet acc. to ISO 11014

Version number 3

Reviewed on 04/13/2015

Trade name: DX Cartridge Clean-Tec

		(Contd. of page 3)
REL Short-term value: 54.000 mg/m		
Long-term value: 9000 mg/m ³ , 5000 ppm TLV Short-term value: 54.000 mg/m ³ , 30.000 ppm		
Long-term value: 9000 mg/m ³ ,	5000 ppm	
• Additional information: The lists the	at were valid during the creation were used as basis.	
· Exposure controls		
Personal protective equipment General protective and hygienic me	asures	
The usual precautionary measures for	handling chemicals should be followed.	
Do not eat, drink, smoke or sniff whil Wash hands before breaks and at the		
· Breathing equipment: Not required.		
 • Protection of hands: Not required. • Material of gloves Not applicable 		
Penetration time of glove material I	Not required.	
· Eye protection:		
Safety glasses		
EN 166 / EN 170		
Body protection:		
When using setting tools	, sufficient ear protection must be worn.	
9 Physical and chemical propertie	S	
• Information on basic physical and o	chemical properties	
General Information Appearance:		
Form:	Solid.	
Color: • Odor:	According to product specification Not determined	
· Odour threshold:	Not applicable	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range: Boiling point/Boiling range:	Not determined. undetermined	
· Flash point:	Not applicable Not determined.	
Flammability (solid, gaseous)		
Ignition temperature: Decomposition temperature:	Not determined Not determined.	
· Decomposition temperature: · Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:	Not determined.	
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
Density:	Not determined	
Relative density Vapour density	Not determined. Not applicable.	
· Evaporation rate	Not applicable.	

(Contd. on page 5)

- US EN



Reviewed on 04/13/2015

Trade name: DX Cartridge Clean-Tec

		(Contd. of page 4
· Solubility in / Miscibility wit	h	
Water:	Not applicable	
Partition coefficient (n-octan	ol/water): Not applicable	
· Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
 Other information 	No further relevant information available.	

10 Stability and reactivity

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: Temperatures > 40 °C
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid No further relevant information available.
- **Incompatible materials:** acids

alkalis (caustic solutions).

- · Hazardous decomposition products:
- Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

11 Toxicological information

· Information on toxicological effects

No harmful effects are to be expected if used properly.

The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.

· Acute toxicity:

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

\cdot NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- No harmful effects are to be expected if used properly.
- The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Generally not hazardous for water.
- Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Reviewed on 04/13/2015

Trade name: DX Cartridge Clean-Tec

(Contd. of page 5)

 \cdot Other adverse effects No further relevant information available.

13 Disposal considerations

 \cdot Waste treatment methods

 $\cdot \ \textbf{Recommendation}$

For disposal, local regulations issued by the authorities must be observed.

Completely discharged cartridges strips may be disposed of as household or factory waste. No hazardous waste.

· European waste catalogue:

16 04 01* waste ammunition

· Uncleaned packagings:

· Recommendation: Non contaminated packagings can be used for recycling.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN0323
 · UN proper shipping name · DOT, IMDG, IATA · ADR 	Cartridge, power device UN0323 cartridge, power device
· Transport hazard class(es)	
· ADR, IATA	
1.4	
· Class	1 Explosive substances und articles
· Label	1.4
· IMDG · Class	1 Explosive substances und articles
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Warning: Explosive substances und articles
Danger code (Kemler): EMS Number:	- F-B,S-X
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	UN0323, cartridge, power device, 1.4S

15 Regulatory information



Reviewed on 04/13/2015

Trade name: DX Cartridge Clean-Tec

	(Contd. of page 6)
· Proposition 65:	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
122-39-4 diphenylamine	A4
· MAK (German Maximum Workplace Concentration)	
55-63-0 glycerol trinitrate	3B
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Hilti Entwicklungsgesellschaft mbH Hiltistrasse 6 D-86916 Kaufering Tel.: +49 8191 906310 Fax: +49 8191 90176310 df-hse@hilti.com · Contact: Mechthild Krauter \cdot Date of preparation / last revision 05/18/2015 / 2· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) Expl. 1.4: Explosives, Division 1.4

US EN -

[·] Chemical safety assessment: not required.