

Version 1.18 Revision Date: 02/10/2022

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SODIUM HYPOCHLORITE 12.5%

Recommended use of the chemical and restrictions on use

Recommended use : Reserved for industrial and professional use.

Manufacturer or supplier's details

Company : Univar Solutions USA, Inc.

Address 3075 Highland Pkwy Suite 200 Downers Grove, IL 60515

United States of America (USA)

**Emergency telephone number:** 

Transport North America: CHEMTREC (1-800-424-9300) CHEMTREC INTERNATIONAL Tel # 703-527-3887

Additional Information: : Responsible Party: Product Compliance Department

E-mail: SDSNA@univarsolutions.com SDS Requests: 1-855-429-2661 Website: www.univarsolutions.com

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Corrosive to metals : Category 1

Skin corrosion : Category 1

Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :

TE

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:** 

P234 Keep only in original container. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection. **Response:** 

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/ shower.



Version 1.18 Revision Date: 02/10/2022

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner

liner.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

CAS-No.	Chemical name	Weight percent
7681-52-9	Sodium hypochlorite	12.5
1310-73-2	Sodium hydroxide	0 - 5

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

**Synonyms** : Liquichlor, Bleach,

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Take victim immediately to hospital.

Move to fresh air.

If breathing has stopped, apply artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

SDS Number: 100000017402 2 / 12 SODIUM HYPOCHLORITE 12.5%



Version 1.18 Revision Date: 02/10/2022

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

Burns must be treated by a physician.

In case of eye contact : In case of eve contact

Immediately flush eye(s) with plenty of water.

Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If easy to do, remove contact lens, if worn. If eye irritation persists, consult a specialist.

Take victim immediately to hospital.

If swallowed : Take victim immediately to hospital.

> Do NOT induce vomiting. Rinse mouth with water.

If victim is fully conscious, give a cupful of water.

If a person vomits when lying on his back, place him in the

recovery position.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO2)

> Foam Dry powder

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emergency procedures

Personal precautions, protec- : Use personal protective equipment.

SDS Number: 100000017402 3/12 **SODIUM HYPOCHLORITE 12.5%** 



Version 1.18 Revision Date: 02/10/2022

**Environmental precautions** : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Neutralise with acid.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

> Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
7681-52-9	Sodium hypochlorite	STEL	2 mg/m3	US WEEL
1310-73-2	Sodium hydroxide	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL

#### Personal protective equipment

Respiratory protection General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

SDS Number: 100000017402 4/12 **SODIUM HYPOCHLORITE 12.5%** 



Version 1.18 Revision Date: 02/10/2022

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : clear

yellow

Odour : Chlorine

Odour Threshold : No data available

pH : 11.5 - 13

Freezing Point (Melting point/freezing point)

: -20 - -15 °C (-4 - 5 °F)

Boiling Point () : 230 °F (230 °F)

Decomposition: Decomposition temperature

Flash point : Not Flammable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

SDS Number: 100000017402 5 / 12 SODIUM HYPOCHLORITE 12.5%



Version 1.18 Revision Date: 02/10/2022

Lower explosion limit : No data available

Vapour pressure : 12 - 17.5 mmHg @ 20 °C (68 °F)

Relative vapour density : No data available

Relative density : 1.17 @ 20 °C (68 °F)

Reference substance: (water = 1)

Density : 1.17 g/cm3

Solubility(ies)

Water solubility : completely soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Thermal decomposition : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reac-

tions

: No hazards to be specially mentioned.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Acids

Combustible material Halogenated compounds

Metals metal salts Organic materials

organic nitro compounds

Zinc

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

SDS Number: 100000017402 6 / 12 SODIUM HYPOCHLORITE 12.5%



Version 1.18 Revision Date: 02/10/2022

**Components:** 

7681-52-9:

Acute oral toxicity : LD50 (Rat, male): > 2,000 mg/kg

1310-73-2:

Acute oral toxicity : LD50 (Rabbit): 325 mg/kg

Skin corrosion/irritation

**Components:** 

7681-52-9: Species: Rabbit

Result: Causes burns.

**1310-73-2:** Species: Rabbit

Result: Causes severe burns.

Serious eye damage/eye irritation

**Components:** 

**7681-52-9:** Species: Rabbit

Result: Risk of serious damage to eyes.

**1310-73-2:** Species: Rabbit

Result: Risk of serious damage to eyes.

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

STOT - single exposure

**Components:** 

7681-52-9:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**Further information** 

**Product:** 

Remarks: No data available

SDS Number: 100000017402 7 / 12 SODIUM HYPOCHLORITE 12.5%



Version 1.18 Revision Date: 02/10/2022

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Components:

7681-52-9:

Toxicity to fish : LC50 (Salmo gairdneri (Rainbow Fish)): 0.06 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): 5.9 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.141 mg/l

Exposure time: 48 h

Test Type: flow-through test

EC50 (Ceriodaphnia dubia): 0.035 mg/l

Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae : IC50: 0.023 mg/l

Exposure time: 7 d

Test Type: flow-through test

M-Factor (Acute aquatic tox-

icity)

: 10

Acute aquatic toxicity- As-

sessment

: Very toxic to aquatic life.

Chronic aquatic toxicity- As-

sessment

: Toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

SDS Number: 100000017402 8 / 12 SODIUM HYPOCHLORITE 12.5%



Version 1.18 Revision Date: 02/10/2022

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-

var Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **DOT (Department of Transportation):**

UN1791, Hypochlorite solutions, 8, III, Marine Pollutant (SODIUM HYPOCHLORITE)

#### IATA (International Air Transport Association):

UN1791, Hypochlorite solution, 8, III

#### **IMDG** (International Maritime Dangerous Goods):

UN1791, HYPOCHLORITE SOLUTION, 8, III, Marine Pollutant (SODIUM HYPOCHLORITE)

#### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hypochlorite	7681-52-9	100	800
Sodium hydroxide	1310-73-2	1000	20000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals

SDS Number: 100000017402 9 / 12 SODIUM HYPOCHLORITE 12.5%



Version 1.18 Revision Date: 02/10/2022

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

7681-52-9 Sodium hypochlorite 1310-73-2 Sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

7681-52-9 Sodium hypochlorite 1310-73-2 Sodium hydroxide

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### Massachusetts Right To Know

7681-52-9 Sodium hypochlorite 1310-73-2 Sodium hydroxide

#### Pennsylvania Right To Know

7732-18-5 Water

7681-52-9 Sodium hypochlorite 1310-73-2 Sodium hydroxide

California Prop 65 : This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

#### The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

SDS Number: 100000017402 10 / 12 SODIUM HYPOCHLORITE 12.5%




Version 1.18 Revision Date: 02/10/2022

IECSC : On the inventory, or in compliance with the inventory

#### **SECTION16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	3/
FLAMMABILITY	0
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

**Revision Date** : 02/10/2022

**Legacy SDS:** : R0004191

#### Material number:

16185565, 16185315, 16182803, 16182803, 16182146, 16180800, 16151747, 16144335, 16147791, 16179440, 16164756, 16164762, 16164766, 16173035, 16172686, 16173104, 16164347, 16164592, 16164731, 16164730, 16164686, 16164337, 16172598, 16147922, 16146040, 16151002, 16149524, 16158615, 16145640, 16148059, 16144666, 16147989, 16163791, 16160423, 16160441, 16158853, 16151253, 16149870, 16148071, 16148060, 16147684, 16147117, 16146776, 16146856, 16146855, 16146854, 16145965, 16145895, 16145890, 16145584, 16145144, 16145142, 16145140, 16145138, 16145137, 16145133, 16145130, 16145079, 16159810, 16150495, 16149123, 16147041, 16145471, 16144665, 16145772, 16145833, 16148433, 16148183, 16148162, 16145046, 16143737, 16135287, 16163624, 16161401, 16148721, 16155765, 16158840, 16145484, 16166710, 16148748, 16148260, 16166763, 16166591, 16145834, 16166014, 16159793, 16162934, 16165524, 16165444, 16165066, 16137823, 16137455, 16137753, 16147687, 16144215, 16150496, 16149504, 16145673, 16149243, 16136536



Version 1.18 Revision Date: 02/10/2022

Key or le	gend to abbreviations and acronym	s used in	the safety data sheet
ACGIH	American Conference of Govern-	LD50	Lethal Dose 50%
	ment Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect
	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenar- io Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		