

SAFETY DATA SHEET

Issuing Date 01-Jun-2015 Revision Date 01-Jun-2015 Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Jet-Lube 21® Arctic

Other means of identification

Product Code(s) 112 & 113

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

Supplier's details

Manufacturer Address

Jet-Lube, Inc. 4849 Homestead Rd. Suite 232

Houston, Texas 77028

TEL: 713-670-5700 (7:00 a.m. - 5:00 p.m.)

Emergency telephone number

Emergency Telephone CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

Number 1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word None

The product contains no substances which at their given concentration are considered to be hazardous to health **Appearance** Copper, Bronze **Physical State** Semi-solid (gel). **Odor** Petroleum like

Precautionary Statements

Prevention

None

General Advice

None

Storage

None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

23% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Trade secret |
|--|------------|----------|--------------|
| Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc. | 74869-21-9 | 65-75 | * |
| Graphite | 7782-42-5 | 8-10 | * |
| Limestone | 1317-65-3 | 8-10 | * |
| Mica | 12001-26-2 | 1-5 | * |
| Copper | 7440-50-8 | 2-8 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting

without medical advice.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO_2) . Foam. Dry powder. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Revision Date 01-Jun-2015

Specific Hazards Arising from the Chemical

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Burning produces obnoxious and toxic fumes. Heavy metal compounds

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate

ground water system. Prevent product from entering drains. Local authorities should be

advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep in a bunded area

Incompatible Products Strong oxidizing agents. Acetylene. Vinyl compounds.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-----------|---|--------------------------------|
| Graphite | - | TWA: 15 mg/m ³ total dust | IDLH: 1250 mg/m ³ |
| 7782-42-5 | | synthetic | TWA: 2.5 mg/m³ respirable dust |
| | | TWA: 5 mg/m ³ total dust | |
| | | synthetic | |
| | | (vacated) TWA: 2.5 mg/m ³ | |
| | | respirable dust natural | |
| | | (vacated) TWA: 10 mg/m ³ total | |
| | | dust synthetic | |
| | | (vacated) TWA: 5 mg/m ³ | |
| | | respirable fraction synthetic | |
| | | TWA: 15 mppcf natural | |

| Limestone 1317-65-3 | - | TWA: 15 mg/m³ TWA: 5 mg/m³ (vacated) TWA: 15 mg/m³ (vacated) TWA: 15 mg/m³ | TWA: 5 mg/m³ respirable dust TWA: 10 mg/m³ total dust |
|------------------------|--------------------------|--|---|
| Mica 12001-26-2 | TWA: 3 mg/m ³ | TWA: 20 mppcf (<1% crystalline silica) 3 mg/m³ (vacated) | IDLH: 1500 mg/m³ containing <1% quartz TWA: 3 mg/m³ respirable dust |
| Copper 7440-50-8 | TWA: 0.2 mg/m³ fume | TWA: 0.1 mg/m³ fume TWA: 1 mg/m³ dust and mist (vacated) TWA: 0.1 mg/m³ Cu dust, fume, mist | IDLH: 100 mg/m³ dust, fume and mist TWA: 1 mg/m³ dust and mist TWA: 0.1 mg/m³ fume |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 **Other Exposure Guidelines**

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

> Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and Body Protection Protective gloves. Long sleeved clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical State | Semi-solid (gel) | Appearance | Copper, Bronze |
|----------------|------------------|----------------|--------------------------|
| Odor | Petroleum like | Odor Threshold | No information available |

| Property | Values | Remarks/ - Method |
|--|---------------------|-------------------|
| pH | Neutral | None known |
| Melting Point/Range | > 149 °C | None known |
| Boiling Point/Boiling Range | > 260 °C | None known |
| Flash Point | > 160 °C | None known |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limits in Air | | |
| upper flammability limit | No data available | |
| lower flammability limit | No data available | |
| Vapor Pressure | No data available | None known |
| Vapor Density | No data available | None known |
| Specific Gravity | 1.10 | None known |
| Water Solubility | Insoluble in water. | None known |
| Solubility in other solvents | Largely. | None known |
| Partition coefficient: n-octanol/water | No data available | None known |
| Autoignition Temperature | No data available | None known |
| Decomposition Temperature | No data available | |
| None known | | |
| Viscosity | No data available | None known |
| | | |
| Flammable Properties | Not flammable | |

Explosive Properties No data available **Oxidizing Properties** No data available

Other information

VOC Content (%) No data available

VOC (g/I) None

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong oxidizing agents. Acetylene. Vinyl compounds.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

InhalationNone known.Eye ContactNone known.Skin ContactNone known.

Ingestion Not an expected route of exposure. May be harmful if swallowed. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------------------------|--------------------|-------------|-----------------|
| Lubricating greases | = 2280 mg/kg (Rat) | - | - |
| A complex combination of | | | |
| hydrocarbons having carbon | | | |
| numbers predominantly in the range | | | |
| of C12 through C50. may contain | | | |
| organic salts of alkali metals, | | | |
| alkaline earth metals, etc. | | | |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

Acute Toxicity 23% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 2372 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic toxicity is unlikely due to low solubility. Based on available data, the classification criteria are not met Lc50/48h/Acartia tonsa = >1000 mg/L EC50/72h/Skeletonema costatum = >1000 mg/L LC50/96h/Scophthalmus maximus = >1000 mg/L

Sea sediment LC50/10d/Corophium sp. = 925 - 3502 mg/kg

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---|---|---|-------------------------------|--|
| Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc. 74869-21-9 | >1001 mg/l | LC50 96 h: > 2000 mg/L (Salmo gairdneri) | | |
| Copper 7440-50-8 | EC50 96 h: 0.031 - 0.054 mg/L static (Pseudokirchneriella subcapitata) EC50 72 h: 0.0426 - 0.0535 mg/L static (Pseudokirchneriella subcapitata) | LC50 96 h: 0.0068 - 0.0156 mg/L (Pimephales promelas) LC50 96 h: < 0.3 mg/L static (Pimephales promelas) LC50 96 h: = 0.052 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: = 0.112 mg/L flow-through (Poecilia reticulata) LC50 96 h: = 0.2 mg/L flow-through (Pimephales promelas) LC50 96 h: = 0.3 mg/L semi- static (Cyprinus carpio) LC50 96 h: = 0.8 mg/L static (Cyprinus carpio) LC50 96 h: = 1.25 mg/L static (Lepomis macrochirus) | | EC50 48 h: = 0.03 mg/L Static (Daphnia magna) |

Persistence and Degradability No information available.

Bioaccumulation No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with local regulations. Where possible recycling is preferred to

disposal or incineration.

Contaminated Packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|---------------|----------------------------|
| Copper | Toxic |

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|---------------|-----------|----------|----------------------------------|
| Copper | 7440-50-8 | 3 | 1.0 |

SARA 311/312 Hazard Categories

| Acute Health Hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Copper | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|---------------|--------------------------|------------------------------------|--|
| Copper | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|---------------|------------|---------------|--------------|----------|--------------|
| Graphite | X | X | X | | X |
| Limestone | Х | Х | X | | X |
| Mica | Х | Х | X | | X |
| Copper | X | X | X | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. OTHER INFORMATION | | | | | | | |
|-----------------------|-----------------|----------------|-------------------|------------------------------------|--|--|--|
| NFPA | Health Hazard 1 | Flammability 1 | Instability 0 | Physical and Chemical Hazards - | | | |
| HMIS | Health Hazard 1 | Flammability 1 | Physical Hazard 0 | Personal Protection X | | | |

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 01-Jun-2015

Issuing Date Revision Date 01-Jun-2015 **Revision Note** Initial Release.

<u>General Disclaimer</u>
The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet