

Kimball Limex

Page 1 of 7

Revision Date:

1.0041 04/25/2018

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Limex 80-3004-1

PRODUCT USE: Delimer

MANUFACTURED FOR: Kimball Midwest

4800 Roberts Road

Columbus, OH 43228-2470

614-219-6100

**INFORMATION PHONE:** Tel: 1-800-233-1294

**EMERGENCY PHONE: CHEMTREC** 1-800-424-9300

SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Acute Toxicity - Oral: Category 5

Skin Corrosion: Category 1B Eye Damage: Category 1

STOT Single Exposure: Category 3

PICTOGRAMS:

GHS ELELMENTS:

SIGNAL WORD: Danger

HAZARD STATEMENT(S): H303 | May be harmful if swallowed.

> Causes severe skin burns and eye damage. H314

Causes serious eye damage. H318 H335 | May cause respiratory irritation.

PRECAUTIONARY STATEMENT(S): P260 | Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray. P261 Wash any exposed body parts thoroughly after handling. P264

Use only outdoors or in a well-ventilated area. P271

P280 | Wear protective gloves/protective clothing/eye protection/face

protection.

P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately

all contaminated clothing. Rinse skin with water/shower. P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

. P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 | Immediately call a POISON CENTER or doctor/physician. P312 | Call a POISON CENTER or doctor/physician if you feel unwell.



Kimball Limex

Page 2 of 7 1.0041

Revision Date:
Print Date:

1.0041 04/25/2018

P321 | Specific treatment (see supplemental first aid instruction on this label if immediate administration of antidote/specific measures/cleansing

agent/immediate measures is/are appropriate/required).

P403 + P233 | Store in a well-ventilated place. Keep container tightly closed.

P405 | Store locked up.

P501 | Dispose of contents/container to appropriate waste disposal entity in

accordance with local/regional/national/international regulation.

ADDITIONAL PRECAUTIONS: None Known

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT CAS # FUNCTIONAL PURPOSE PERCENT

 Phosphoric Acid 75%
 7664-38-2
 Acidity
 50 - 60%

 Alcohol Alkoxylate
 68987-81-5
 Surfactant
 1 - 5%

 Lemon Yellow 316
 not available
 Colorant
 < 1.0%</td>

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

#### SECTION 4 - FIRST AID MEASURES

EYES: Check for and remove contact lenses. Immediately flush eyes with plenty of

water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Get medical attention immediately.

SKIN: Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

INHALATION: Move exposed person to fresh air. If breathing is irregular or if respiratory

arrest occurs, provide artificial respiration or oxygen by trained personnel.

Loosen clothing. Get medical attention immediately.

INGESTION: Wash out mouth with water. Do not induce vomiting unless directed to do so

by medical personnel. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

GENERAL: Physicians: No specific treatment. Treat symptomatically. Contact poison

treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

#### SECTION 5 - FIRE FIGHTING MEASURES

FLAMMABILITY: In a fire or if heated, a pressure increase will occur and the container may

burst.

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

PROTECTIVE EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with full face-piece operated in positive pressure

mode.



ADDITIONAL INFORMATION:

#### Safety Data Sheet

Kimball Limex

Page 3 of 7 1.0041 04/25/2018

Revision Date:
Print Date:
Thermal decomposition products-carbon monoxide, sulfur oxides, metal

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: No action should be taken involving individual risk or without suitable training.

oxide/oxides, halogenated compounds.

Isolate area. Avoid contact with material. Do not breathe vapors. Provide

adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform relevant authorities if the product

reaches sewers, waterways or soil.

CONTAINMENT/CLEANUP: Stop leak if without risk. Move containers from spill area. Contain or absorb

with inert dry material. Dispose of according to local regulations. See Section

1 for emergency contact information and 13 for waste disposal.

## SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING: Wear appropriate personal protective equipment (see Section 8). Eating

drinking and smoking should be prohibited. Do not get into eyes or on skin.

Do not ingest. Keep containers tightly closed. Do not reuse container.

SAFE STORAGE: Store in accordance with local regulations. Store in original container away

from foods, drink and incompatible materials. Keep container tightly closed.

Do not store unlabeled. Use appropriate containment.

#### SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Apply technical measures to comply with occupational exposure limits.

Mechanical ventilation, eye-wash stations, showers where necessary.

EYE PROTECTION: Safety eye-wear/face shield complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid exposure to

liquid splashes, mists or dusts.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards

of the product & the safe working limits of the chosen respirator.

HAND PROTECTION: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

SKIN PROTECTION: Personal protective equipment for the body should be selected based on the

task being performed and the risks involved and should be approved by a

specialist before handling this product.

COMPONENT: ACGIH TWA ppm OSHA/NIOSH STEL ppm OSHA/ACGIH STEL

mg/m3

Phosphoric Acid 75% 1.00 3.00 1.00



Kimball Limex

Page 4 of 7

Version: Revision Date: Print Date:

1.0041 04/25/2018 01/07/2021

Alcohol Alkoxylate None None None None None None

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid UPPER EXPLOSIVE LIMITS: NA

COLOR: Yellow LOWER EXPLOSIVE LIMITS: NA

ODOR: Surfactant VAPOR PRESSURE: NA

ODOR THRESHOLD: NA VAPOR DENSITY: NA

PH: 04.1 - 08.0 RELATIVE DENSITY: NA

MELTING POINT: NA SOLUBILITY: Completely Water

Soluble

FREEZING POINT: NA

PARTITION COEFFICIENT: NA
BOILING POINT: NA

AUTO-IGNITION TEMPERATURE: NA FLASH PT METHOD: NA

DECOMPOSITION TEMPERATURE: NA FLASH POINT: NA

SPECIFIC GRAVITY: 1.23400 EVAPORATION RATE: NA

% VOLATILE: NA FLAMMABILITY: Nonflammable

VISCOSITY (cst): NA

#### SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY: HAZARDOUS DECOMPOSITION PRODUCTS

CHEMICAL STABILITY: Stable under normal conditions.

POSSIBILITY OF HAZARDOUS

**REACTIONS:** 

Reactive with metals.

CONDITIONS TO AVOID: Avoid heat and open flames.

INCOMPATIBLE MATERIALS: STRONG OXIDIZERS, ALKALIS - react with metals producing flammable

hydrogen gas which can form explosive mixtures with air.

HAZARDOUS DECOMPOSITION

PRODUCTS:

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

## SECTION 11 - TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: Inhalation X Absorption X Ingestion

**ACUTE EXPOSURE HAZARDS:** 

EYE CONTACT: Severe eye irritation, burns.



Kimball Limex

Page 5 of 7 1.0041

04/25/2018 Revision Date: Print Date:

**DERMAL**: Skin irritation, can cause burns with contact.

ORAL: Corrosive to mucous membranes.

INHALATION: MIST MAY BE MILD TO STRONG IRRITANT, CORROSIVE.

Phosphoric Acid 75% (CAS No. 7664-38-2)

Oral LD50: 2600mg/kg rat

Alcohol Alkoxylate (CAS No. 68987-81-5)

Oral LD50: Rat 2380 mg/kg

#### SECTION 12 - ECOLOGICAL INFORMATION

**ECOTOXICITY:** No data available.

PERSISTENCE & DEGRADABILITY: No data available.

BIOACCUMULATIVE POTENTIAL: No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

Phosphoric Acid 75% (CAS No. 7664-38-2)

Fish LC50: 3-3.5mg/L 96h

Crustacean LC50: greater than 100mg/L 48h Daphnia Alcohol Alkoxylate (CAS No. 68987-81-5)

Crustacean LC50: greater than 100mg/L 48h Daphnia

## SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

## SECTION 14 - TRANSPORT INFORMATION

DOT (US)

**UN NUMBER:** UN1760

SHIPPING NAME: Corrosive Liquids, N.O.S.

TECHNICAL NAME: (Phosphoric Acid)

HAZARD CLASS:

PACKAGING GROUP: Ш



Kimball Limex

Page 6 of 7 1.0041

Revision Date: Print Date:

04/25/2018

## SECTION 15 - REGULATORY INFORMATION

CAS NO. SARA 313 COMPONENTS % LESS THAN

CALIFORNIA PROP. 65 COMPONENTS CAS NO. % LESS THAN

Alcohol Alkoxylate 68987-81-5 1 - 5%

RQ: 5,000#

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE

CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

#### SECTION 16 - OTHER INFORMATION


HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health Hazard	2
Fire Hazard	0
Reactivity	0
Personal Protection	С

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- Safety Glasses
- Safety Glasses, Gloves
- Safety Glasses, Gloves, Apron
- Face Shield, Gloves, Apron
- Safety Glasses, Gloves, Dust Respirator
- Safety Glasses, Gloves, Apron, Dust Respirator Safety Glasses, Gloves, Vapor Respirator
- Splash Goggles, Gloves, Apron, Dust & Vapor Respirator Safety Glasses, Gloves, Dust & Vapor Respirator
- Splash Goggles, Gloves, Apron, Dust & Vapor Respirator Airline Hood or Mask, Gloves, Full Suit, Boots
- Consult your supervisor for special handling directions

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the



Kimball Limex

Page 7 of 7

 Version:
 1.0041

 Revision Date:
 04/25/2018

 Print Date:
 01/07/2021

suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.