

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

# PRODUCT NAME: DRYTEC™ GRANULAR

EPA Registration Number: 1258-427

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Arch Chemicals, Inc. 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 REVISION DATE: SUPERCEDES:

MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE FORMULA: 00000023097 None Hypochlorite Sanitizer and OxidizerWater treatment chemical Not Applicable/Mixture

06/02/2015

05/27/2015

# **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Oxidizing solids	:	Category 2
Acute toxicity (Oral)	:	Category 4
Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Acute toxicity (Inhalation)	:	Category 3
Specific target organ toxicity - single exposure	:	Category 3
GHS Label element Hazard pictograms	:	
Signal word	:	Danger
DRYTEC™ GRANULAR REVISION DATE : 06/02/2015		Page 1 of 14

ÁRCH.	Arch Chemicals, Inc.	SAFETY DATA SHEET
Hazard statements	: H272 May intensify fire; oxidis H302 Harmful if swallowed. H314 Causes severe skin bur H331 Toxic if inhaled. H335 May cause respiratory in	ns and eye damage.
Precautionary statements	other ignition sources. No sma P220 Keep/Store away from of P221 Take any precaution to P260 Do not breathe vapours P264 Wash hands thoroughly P270 Do not eat, drink or smo P271 Use only outdoors or in P280 Wear protective gloves/ face protection. <b>Response:</b> P301 + P312 IF SWALLOWE doctor/ physician if you feel ur P301 + P330 + P331 IF SWA induce vomiting. P303 + P361 + P353 IF ON S immediately all contaminated shower. P304 + P340 IF INHALED: Re rest in a position comfortable P305 + P351 + P338 IF IN EY several minutes. Remove con do. Continue rinsing. P310 Immediately call a POIS P363 Wash contaminated clop P370 + P378 In case of fire: L foam, dry chemical or carbon <b>Storage:</b> P403 + P233 Store in a well-v tightly closed. P405 Store locked up. <b>Disposal:</b>	clothing/ combustible materials. avoid mixing with combustibles. after handling. ke when using this product. a well-ventilated area. protective clothing/ eye protection/ D: Call a POISON CENTER or well. LLOWED: Rinse mouth. Do NOT KIN (or hair): Remove/ Take off clothing. Rinse skin with water/ emove victim to fresh air and keep at for breathing. 'ES: Rinse cautiously with water for tact lenses, if present and easy to CON CENTER or doctor/ physician. thing before reuse. Jse water spray, alcohol-resistant
Other hazards None known.		



### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS OR CHEMICAL NAME CALCIUM HYPOCHLORITE	<u>CAS #</u> 7778-54-3	<u>% RANGE</u> 60 - 80
SODIUM CHLORIDE	7647-14-5	10 - 20
CALCIUM CHLORATE	10137-74-3	0-5
CALCIUM CHLORIDE	10043-52-4	0-5
CALCIUM HYDROXIDE	1305-62-0	0 - 4
CALCIUM CARBONATE	471-34-1	0-5
Water	7732-18-5	5.5 - 10

### **SECTION 4. FIRST AID MEASURES**

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.



### **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA): This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire., This product is a strong oxidizer which is capable of intensifying a fire once started., Product is not known to be flammable, combustible or pyrophoric. Flammable Properties Flash Point: Not applicable Not applicable Autoignition Temperature: Extinguishing Media: Water only. Do not use dry extinguishers containing ammonium compounds. Fire Fighting Instructions: Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting. Upper Flammable / Explosive Limit, Not applicable

% in air: Lower Flammable / Explosive Limit, Not applicable % in air:

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency Situations:	Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air repirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.
Spill Mitigation Procedures	
Air Release:	Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.
Water Release:	This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.

<b>Arch</b> Chemicals, Inc.	SAFETY DATA SHEET
Additional Spill Information : Additional Spill Information : Product should be t may initiate a chem combustible materi case of a spill, sepa and other material. product into plastic disposal containers packaging material decontamination (i. all undamaged pac and labeled. Call for Hazardous concern immediately downw of spill as soon as p Dispose of spill res Consideration. This are requested to co beginning any such	-6911 immediately. DANGER: All spills of this treated as contaminated. Contaminated product nical reaction that may spontaneously ignite any al present, resulting in a fire of great intensity. In arate all spilled product from packaging, debris Using a clean broom or shovel, place all spilled bags, and place those bags into a clean, dry properly marked and labeled. Disposal i plastic or metal are recommended. Do not seal is tightly. Immediately remove all product in to an isolated area outdoors. Place all damaged in a disposal container of water to assure e. removal of all product) before disposal. Place kaging in a clean, dry container properly marked or disposal procedures. trations in air may be found in local spill area and wind. Remove all sources of ignition. Stop source possible and notify appropriate personnel. idues per guidelines under Section 13, Disposal is material may be neutralized for disposal; you pontact Arch Chemicals at 1-800-654-6911 before in procedure. FOR ALL TRANSPORTATION L CHEMTREC: 1-800-424-9300 REPORTABLE

# **SECTION 7. HANDLING AND STORAGE**

Handling:

Storage:

Shelf Life Limitations:

Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.

Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur.



Incompatible Materials for Storage:	Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great
Do Not Store At temperatures Above:	intensity. Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation: Protective Equipment for R	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit. outine Use of Product
Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type :	A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection ·	Wear impervious doves to avoid skin contact. A full impervious suit is

Skin Protection :	Wear impervious gloves to avoid skin contact. A full impervious suit is
	recommended if exposure is possible to a large portion of the body. A safety
	shower should be provided in the immediate work area.
Eye Protection:	Use chemical goggles. Emergency eyewash should be provided in the
	immediate work area.
Protective Clothing Type:	Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron,
	protective suit)

### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
CALCIUM HYPOCHLORITE (7778-54-3)	TWA	1 mg/m3	ARCH OEL*
CALCIUM HYPOCHLORITE (7778-54-3)	Conc	37 - 48 mg/m3	NIOSH/GUIDE IDLH
CALCIUM HYDROXIDE (1305-62-0)	TWA	5 mg/m3	ACGIH (02 2014)

ARCH OEL: Arch Recommended Occupational Exposure Guideline.



### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Form Color: Odor: Molecular Weight: pH : Boiling Point: Melting point/freezing point	solid Free flowing, granular white Chlorine-like (Active ingredient)143.00 g/mol 10.4 - 10.8 (1% solution in neutral, distilled water) (@ 25 Deg. C) Not applicable Not applicable
Density:	0.8g/cc
Vapor Pressure: Vapor Density: Viscosity: Fat Solubility: Solubility in Water:	<ul> <li>(@ 25 Deg. C) Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>No data</li> <li>18 % (@ 25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a residue.</li> </ul>
Partition coefficient n- octanol/water:	No data
Evaporation Rate: Oxidizing: Volatiles, % by vol.:	Not applicable Oxidizer Not applicable
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

# **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary:	Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 3 oxidizer which can cause a severe increase in fire intensity. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.
Conditions to Avoid:	Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package. Always close the lid.
Chemical Incompatibility:	This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers
DRYTEC™ GRANULAR	



(containing mono-ammonium phosphate), oxidizers, corrosive ,flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Chlorine

Hazardous Decomposition Products: Decomposition Temperature:

DRYTEC™ GRANULAR

REVISION DATE : 06/02/2015

170 - 180 °C - , 338 - 356 °F-

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Component Animal Toxic Oral LD50 value:	ology	
CALCIUM HYPOCHLORITE	LD50 (65% calcium hypochlorite) 850 mg/kg Rat	
SODIUM CHLORIDE	LD50 = 3,000 mg/kg Rat	
CALCIUM CHLORIDE	LD50 = 1,000 mg/kg Rat	
CALCIUM HYDROXIDE	LD50 = 7,340 mg/kg Rat	
<u>Component Animal Toxic</u> Dermal LD50 value:	ology	
CALCIUM HYPOCHLORITE	LD50 (65% calcium hypochlorite) > 2,000 mg/kg Rabbit	
SODIUM CHLORIDE	LD50 > 10,000 mg/kg Rabbit	
CALCIUM CHLORIDE	LD50 = 2,630 mg/kg Rat	
CALCIUM HYDROXIDE	No data	
Component Animal Toxic	ology	
Inhalation LC50 value:		
CALCIUM HYPOCHLORITE	Inhalation LC50 1 h (65% calcium hypochlorite), (Nose Only) = 2.04 mg/l Rat	
HIPOGHLORITE	Rat	
	Inhalation LC50 4 h (65% calcium hypochlorite), (Nose Only) = 0.51 mg/l Rat	
SODIUM CHLORIDE	Inhalation LC50 1 h > 42 mg/l Rat	
CALCIUM CHLORIDE	No data	
CALCIUM HYDROXIDE No data		
Product Animal Toxicity		
	.D50 Approximately 800 mg/kg Rat	
Dermal LD50 value:	.D50 > 2,000 mg/kg Rabbit	

Page 8 of 14



Inhalation LC50 value:	Inhalation LC50 1.00 h (Nose Only) > (Nose Only) > 0.51 mg/l Rat Inhalati Rat Inhalation LC50 4 h (Nose Only) >	on LC50 1 h (Nose Only) > 2.04 mg/l	
Skin Irritation:	DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL CAUSES SKIN BURNS.		
Eye Irritation: Skin Sensitization:	Corrosive to eyes. This material is not known or reported to	be a skin or respiratory sensitizer.	
Acute Toxicity:	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.		
Subchronic / Chronic Toxicity:	There are no known or reported effects fr secondary to burns.		
Reproductive and Developmental Toxicity	Calcium hypochlorite has been teste animals. Results of this study have teratogen.	ed for teratogenicity in laboratory shown that calcium hypochlorite is not a	
CALCIUM CH	LORIDE Not known or re developmental	eported to cause reproductive or toxicity.	
Mutagenicity:	mice, and it did not induce a domina has been reported to produce mutag has, however, been shown to lack th animals based on results from the m frequently are inappropriate to judge chemicals due to a high degree of c produces mutations in these in vitro concentrations used for disinfection.	ed in the Dominant lethal assay in male ant lethal response. Calcium hypochlorite genic activity in two in vitro assays. It he capability to produce mutations in hicronucleus assay. In vitro assays a the mutagenic potential of bactericidal ellular toxicity. The concentration which assays is significantly greater than the Based on high cellular toxicity in in vitro in animals, the risk of genetic damage	
CALCIUM CH	the Ames assay	as determined to be non-mutagenic in y. It was also shown to be non- ne chromosomal aberration test.	
Carcinogenicity:	source including IARC, OSHA, NTP exposed dermally 3 times a week for hypochlorite. Histopathological examinicidence of tumors. IARC (Internat reviewed studies conducted with ser classified hypochlorite salts as havin carcinogenicity to humans and animin hypochlorite salts to be not classifial (Group 3 Substance).	r 18 months to a solution of calcium mination failed to show an increased ional Agency for Research on Cancer) veral hypochlorite salts. IARC has ng inadequate evidence for tals. IARC therefore considers ble as to their carcinogenicity to humans	
CALCIUM CH		s not known or reported to be any reference source including IARC, EPA.	



### **SECTION 12. ECOLOGICAL INFORMATION**

Overview:

Highly toxic to fish and other aquatic organisms.

#### Ecological Toxicity Values for: CALCIUM HYPOCHLORITE

Bluegill Rainbow trout (Salmo gairdneri), Daphaja magna	-	(nominal, static). 96 h LC50 0.088 mg/l (nominal, static). 96 h LC50 0.16 mg/l (nominal, static). 48 h LC50 0.11 mg/l
Bobwhite quail		Dietary LC50 > 5,000 ppm
Mallard ducklings Bobwhite quail	-	Dietary LC50 > 5,000 ppm Oral LD50 3,474 mg/kg

### Ecological Toxicity Values for: CALCIUM CHLORIDE

Bluegill Mosquito fish Pimephales promelas (fathead minnow)	-	(nominal, static). 96 h LC50 = 10,650 mg/l (nominal, static). 96 h LC50 = 13,400 mg/l (nominal, static). 96 h LC50 = 4,630 mg/l
Daphnia magna, Ceriodaphnia dubia Nitzschia linearis (diatom)	-	(nominal, static). 48 h LC50= 2,770 mg/l (nominal, static). 48 h LC50= 1,830 mg/l (nominal, static). 5 day LC50 = 3,130 mg/l

# **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.
Disposal Methods :	As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.
Potential US EPA Waste Codes :	D001



# **SECTION 14. TRANSPORT INFORMATION**

<b>DOT</b> UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	<ul> <li>2880</li> <li>Calcium hypochlorite, hydrated mixtures</li> <li>5.1</li> <li>II</li> <li>5.1</li> <li>140</li> </ul>
<b>TDG</b> UN number Description of the goods Class Packing group Labels	2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE 5.1 II 5.1
IATA UN number Description of the goods Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	<ul> <li>2880</li> <li>Calcium hypochlorite, hydrated mixture</li> <li>5.1</li> <li>II</li> <li>5.1</li> <li>562</li> <li>558</li> <li>Y544</li> </ul>
IMDG-CODE UN number Description of the goods Class Packing group Labels EmS Number 1 EmS Number 2	<ul> <li>2880</li> <li>CALCIUM HYPOCHLORITE, HYDRATED MIXTURE</li> <li>5.1</li> <li>II</li> <li>5.1</li> <li>F-H</li> <li>S-Q</li> </ul>
Marine pollutant	: yes

# **SECTION 15. REGULATORY INFORMATION**



This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word	:	DANGER!
Hazard statements	:	Causes substantial but temporary eye injury. Corrosive. Causes skin burns. Corrosive. Causes irreversible eye damage.
		This pesticide is toxic to fish.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Calcium hypochlorite	7778-54-3	10	13

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Calcium hypochlorite 7778-54-3

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:



#### Calcium hypochlorite 7778-54-3

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

#### Massachusetts Right To Know

	Calcium hypochlorite Calcium carbonate Calcium chlorate Calcium dihydroxide	7778-54-3 471-34-1 10137-74-3 1305-62-0		
Pennsylvania Right To Know				
	Calcium hypochlorite Sodium chloride Calcium carbonate Calcium chlorate Calcium chloride Calcium dihydroxide	7778-54-3 7647-14-5 471-34-1 10137-74-3 10043-52-4 1305-62-0		
New Jersey Right To Know				
	Calcium hypochlorite Sodium chloride Calcium carbonate Calcium chlorate Calcium chloride Calcium dihydroxide	7778-54-3 7647-14-5 471-34-1 10137-74-3 10043-52-4 1305-62-0		

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED:	1
Major References :	Available upon request.



THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.