# SAFETY DATA SHEET



# 1. Identification

Product identifier VOLCLAY® WB ADHESIVE

Other means of identification None.

**Recommended use**Not available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
CETCO, an MTI Company
2870 Forbs Avenue
Hoffman Estates, IL 60192

**United States** 

**Telephone** General Information 800 527-9948

Website http://www.cetco.com/

E-mail safetydata@mineralstech.com

**Emergency phone number** Emergency 1.866.519.4752/1 760 476 3962

**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
RUBBER		9006-04-6	54
Ammonium hydroxide		1336-21-6	0.2
Other components below re	portable levels		45.8

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or

persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops or persists.

4540 Version #: 11 Revision date: 25-July-2019 Issue date: 21-August-2014

Immediately flush eyes with plenty of water for at least 20 minutes. Get medical attention if **Eve contact** 

Direct contact with eyes may cause temporary irritation.

irritation develops or persists.

Ingestion If material is ingested, immediately contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

Indication of immediate

Treat symptomatically.

medical attention and special treatment needed

General information If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). CO2, dry chemical, dry sand,

alcohol-resistant foam. Water may be an ineffective extinguishing medium.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Fire fighting equipment/instructions Move containers from fire area if you can do it without risk. In the event of fire, cool tanks with water spray. Cool containers with flooding quantities of water until well after fire is out.

Specific methods

Cool containers exposed to flames with water until well after the fire is out.

General fire hazards Not a fire hazard. No unusual fire or explosion hazards noted.

## Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean contaminated surface thoroughly. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).

**Environmental precautions** 

Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

## 7. Handling and storage

Precautions for safe handling

Use this product with adequate ventilation. Do not get this material in contact with skin or eyes. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep this material away from food, drink and animal feed. Keep out of the reach of children.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Additional components	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
<b>US. ACGIH Threshold Limit Values</b>	; ;		
Components	Туре	Value	Form
RUBBER (CAS 9006-04-6)	TWA	0.0001 mg/m3	Inhalable fraction.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Material name: VOLCLAY® WB ADHESIVE

SDS US

# **Exposure guidelines**

#### **US ACGIH Threshold Limit Values: Skin designation**

RUBBER (CAS 9006-04-6)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Good general ventilation should be sufficient to control airborne levels.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Protective gloves.

Other Wear appropriate chemical resistant gloves. Use of protective coveralls and long sleeves is

recommended.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators. A NIOSH- approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are

expected to exceed exposure limits.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product. Use good industrial hygiene practices in handling this material.

# 9. Physical and chemical properties

Appearance Liquid.
Physical state Solid.
Form Solid.
Color Grev.

Odor Ammoniacal.
Odor threshold Not available.
pH Not available.

Melting point/freezing point 86 °F (30 °C) estimated

Initial boiling point and boiling

range

212 °F (100 °C)

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flowerschilite limit lawer

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.02 atm Vapor density 0.62

Relative density Not available.

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 0.91 g/cm3 estimated

Percent volatile 45 % v/v Specific gravity 0.98 VOC CARB

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid**None known. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Not available.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

Ammonium hydroxide (CAS 1336-21-6)

Acute Oral

LD50 Rat 350 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eve damage/eve Direct contact with eyes may cause temporary irritation.

irritation

#### Respiratory or skin sensitization

#### **ACGIH** sensitization

NATURAL RUBBER LATEX, AS INHALABLE Dermal sensitization

ALLERGENIC PROTEINS (CAS 9006-04-6)

Respiratory sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### **US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Material name: VOLCLAY® WB ADHESIVE

SDS US

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** 

Not available.

Prolonged inhalation may be harmful. **Chronic effects** 

# 12. Ecological information

**Ecotoxicity** 

Components

Components of this product have been identified as having potential environmental concerns. No data is available on the product itself. This product is not expected to produce significant

ecotoxicity upon exposure to aquatic organisms and aquatic systems.

**Species Test Results** 

Ammonium hydroxide (CAS 1336-21-6)

Aquatic

Crustacea EC50 Daphnia 0.66 mg/L, 48 Hours Fish LC50 Fish 8.2 mg/L, 96 Hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

## DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US federal regulations** OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly

Hazardous Process Safety Standard, 29 CFR 1910.119.

#### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Material name: VOLCLAY® WB ADHESIVE

4540 Version #: 11 Revision date: 25-July-2019 Issue date: 21-August-2014

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

## SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

Inventory name

(SDWA)

**US** state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

## California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

Issue date 21-August-2014 25-July-2019 **Revision date** 

Version #

**Further information** This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

**HMIS®** ratings Health: 0

Flammability: 0 Physical hazard: 0

**NFPA** ratings Health: 0

Flammability: 0 Instability: 0

Material name: VOLCLAY® WB ADHESIVE

On inventory (yes/no)\*

4540 Version #: 11 Revision date: 25-July-2019 Issue date: 21-August-2014

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.