Printing date 12/12/2016

Reviewed on 12/12/2016

1 Identification

- · Product identifier
- · Trade name: Pro-PoxyTM 100 Part A
- · Article number: 87-140048A
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Unitex® 3101 Gardner Kansas city, MO 64120

Tel: (800) 821-5846 *Fax:* (816) 483-3149

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call (703) 527-3887. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



Signal word Warning
Hazard statements
Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing genetic defects.
Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)



(Contd. on page 2)

Printing date 12/12/2016

Reviewed on 12/12/2016

(Contd. of page 1)

Trade name: Pro-PoxyTM 100 - Part A

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
25085-99-8 Diglycidyl ether of bisphenol A homopolymer	75-100%	
64742-94-5 Solvent naphtha (petroleum), heavy arom.	<i>≤</i> 2.5%	
2210-79-9 2,3-epoxypropyl o-tolyl ether	<i>≤</i> 2.5%	
Additional information. For the wording of the listed hazard phrases refer to section 16		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Seek medical treatment.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US —

Printing date 12/12/2016

Reviewed on 12/12/2016

(Contd. of page 2)

Trade name: Pro-PoxyTM 100 - Part A

• Advice for firefighters • Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

• PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Printing date 12/12/2016

Reviewed on 12/12/2016

Trade name: Pro-PoxyTM 100 - Part A

(Contd. of page 3)

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Wear appropriate eye protection to prevent eye contact.

Physical and chemical proper	ties	
Information on basic physical and	chemical properties	
General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear	
• Odor:	Mild	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	94 °C (201 °F)	
· Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.12 g/cm ³ (9.346 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
		(Contd. on page

Printing date 12/12/2016

Reviewed on 12/12/2016

Trade name: Pro-PoxyTM 100 - Part A

		(Contd. of page 4)
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0~%	
• Other information	No further relevant information available.	
· Volatile Organic Compounds:	Not determined	

10 Stability and reactivity

- *Reactivity* No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid Keep away from heat and sources of ignition.
- $\cdot \textit{Incompatible materials:} No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

25085-99-8 Diglycidyl ether of bisphenol A homopolymer

Oral LD50 5000 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

· Primary irritant effect:

- on the skin: May cause skin irritation.
- on the eye: Strong irritant y
- Strong irritant with the danger of severe eye injury. Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US

Printing date 12/12/2016

Reviewed on 12/12/2016

Trade name: Pro-PoxyTM 100 - Part A

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

· UN-Number	
· DOT, ADR, ADN, IATA	Not Regulated
· IMDG	UN3082
\cdot UN proper shipping name	
· DOT, ADR, ADN, IATA	Not Regulated
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (epoxy resin), MARINE POLLUTANT
· Transport hazard class(es)	
· DOT, ADR, ADN, IATA	
· Class	Not Regulated
· IMDG	
· Class	9 Miscellaneous dangerous substances and articles

Printing date 12/12/2016

Reviewed on 12/12/2016

Trade name: $Pro-Poxy^{TM}$ 100 - Part A

	(Contd. of page
Label	9
Packing group	
DOT, ADR, IATA	Not Regulated
IMDG	III
Environmental hazards:	
Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73	/78
and the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.
U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above.
	v x
Emergency Response Guide (ERG) Number:	Not determine
·IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 12/12/2016

Reviewed on 12/12/2016

Trade name: Pro-PoxyTM 100 - Part A

(Contd. of page 7)

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

• Hazard statements Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing genetic defects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 12/12/2016 / 160
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Printing date 12/12/2016

Reviewed on 12/12/2016

(Contd. of page 8)

US

Trade name: $Pro-Poxy^{TM}$ 100 - Part A

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2

Printing date 12/09/2016

Reviewed on 12/09/2016

1 Identification

- · Product identifier
- · Trade name: Pro-PoxyTM 100 Part B
- · Article number: 87-140048B
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Unitex® 3101 Gardner Kansas city, MO 64120

Tel: (800) 821-5846 *Fax:* (816) 483-3149

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call (703) 527-3887. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1C	H314 Causes	severe skin burns	and eye damage.
---------------	-------------	-------------------	-----------------

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- *Hazard-determining components of labeling:* nonylphenol cyclohex-1,2-ylenediamine
- Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dusts or mists.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: Pro-PoxyTM 100 - Part B

•	Classification	system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 3 Health = 3 FIRE 1 Fire = 1 PHYSICAL HAZARD 2 Reactivity = 2

 \cdot Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous components:		
25154-52-3	nonylphenol	25-50%
694-83-7	cyclohex-1,2-ylenediamine	25-50%
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	<i>≤</i> 5%
$140-31-8 2-piperazin-1-ylethylamine \qquad \leq 5\%$		<i>≤</i> 5%
112-24-3	3,6-diazaoctanethylenediamin	≤ 2.5%
Additional information: For the wording of the listed hazard phrases refer to section 16		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor. Seek medical treatment.

(Contd. on page 3)

⁻ US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: Pro-PoxyTM 100 - Part B

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
25154-52-3	nonylphenol	4.9 mg/m3
694-83-7	cyclohex-1,2-ylenediamine	2.1 mg/m3
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	6.5 mg/m3
140-31-8	2-piperazin-1-ylethylamine	6.4 mg/m3
112-24-3	3,6-diazaoctanethylenediamin	3 ррт
· PAC-2:		
25154-52-3	nonylphenol	53 mg/m3
694-83-7	cyclohex-1,2-ylenediamine	23 mg/m3
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	72 mg/m3
140-31-8	2-piperazin-1-ylethylamine	71 mg/m3
112-24-3	3,6-diazaoctanethylenediamin	14 ppm
· PAC-3:		
25154-52-3	nonylphenol	320 mg/m3
694-83-7	cyclohex-1,2-ylenediamine	140 mg/m3
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	430 mg/m3
	(C	ontd. on page 4)

Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: Pro-PoxyTM 100 - Part B

		(Contd. of page 3)
140-31-8	2-piperazin-1-ylethylamine	420 mg/m3
112-24-3	3,6-diazaoctanethylenediamin	83 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool dry location.
- Information about storage in one common storage facility: Store away from incompatible materials.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

112-24-3 3,6-diazaoctanethylenediamin

WEEL Long-term value: 6 mg/m³, 1 ppm Skin

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: Pro-PoxyTM 100 - Part B

• **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • *Eye protection:* Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

· Information on basic physical and chemical properties		
• General Information • Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Distinctive	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
-		
 Change in condition Melting point/Melting range: 	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
01 0 0		
· Flash point:	>94 °C (>201 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	370 °C (698 °F)	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	1.0 Vol %	
Upper:	0.0 Vol %	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	
	(Contd. on page 6)	
	US	

(Contd. of page 4)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: Pro-PoxyTM 100 - Part B

· Volatile Organic Compounds:

Not determined

10 Stability and reactivity

· Reactivity No decomposition if stored and applied as directed.

- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

25154-52-3 nonylphenol

Oral LD50 1620 mg/kg (rat)

- · Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

 \cdot NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 7)

US

Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: Pro-PoxyTM 100 - Part B

	(Contd. of page 6)
· Ecotoxical effects:	
• <i>Remark:</i> Very toxic for fish	
· Additional ecological information:	
· General notes:	
Water hazard class 3 (Self-assessment): extremely hazardous for water	
Do not allow product to reach ground water, water course or sewage system, even in small quantities.	
Water hazard class 1 (Self-assessment): slightly hazardous for water	
Must not reach bodies of water or drainage ditch undiluted or unneutralized.	
Also poisonous for fish and plankton in water bodies.	
Very toxic for aquatic organisms	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
· vPvB: Not applicable.	
• Other adverse effects No further relevant information available.	

13 Disposal considerations

 \cdot Waste treatment methods

· Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (nonylphenol)
ADR	1760 Corrosive liquids, n.o.s. (nonylphenol) ENVIRONMENTALLY HAZARDOUS
IMDG	CORROSIVE LIQUID, N.O.S. (nonylphenol), MARIN POLLUTANT
IATA	CORROSIVE LIQUID, N.O.S. (nonylphenol)
Transport hazard class(es)	
DOT	
CORROSIVE	
Class	8 Corrosive substances

Printing date 12/09/2016

Reviewed on 12/09/2016

	(Contd. of pag
Label	8
ADR, IATA	
Class	8 Corrosive substances
Label	8
IMDG	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances 80
Danger code (Kemler): EMS Number:	80 F-A,S-B
Segregation groups	Alkalis
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/	/78
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.
U.S. Domestic Ground Non-Bulk (119 gal or less per	
container) Shipments:	Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUIDS, N.O.S. (NONYLPHENOL), III, ENVIRONMENTALLY HAZARDOUS

(Contd. on page 9)


Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: $Pro-Poxy^{TM}$ 100 - Part B

(Contd. of page 8)

· Sara · Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
• Section 313 (Specific toxic chemical listings): This product may contain 1 or more toxic chemicals subject to the reporting requirements of Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the	
25154-52-3 nonylphenol	25-50
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to the State of California (Prop. 65) to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· MAK (German Maximum Workplace Concentration)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• GHS label elements The product is classified and labeled according to the Globally Harmonize	ed System (GHS).



GHS05 GHS07

 Hazard-determining components of labeling: nonylphenol cyclohex-1,2-ylenediamine
 Hazard statements

Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Printing date 12/09/2016

Reviewed on 12/09/2016

Trade name: Pro-PoxyTM 100 - Part B

· Precautionary statements

Do not breathe dusts or mists.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

Store locked up.

- Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 12/09/2016 / 155
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. of page 9)